

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	107	@rlad<"20030911" and ((cosimulat\$3 or co-simulat\$3 or coverificat\$3 or co-verificat\$3 or coverif\$3 or co-verif\$3) and (synchroniz\$5 or optimiz\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/09 10:41
L2	51	1 and bridg\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/09 10:41
L3	51	2 and (engag\$3 or disengag\$3 or enabl\$3 or disabl\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/09 10:42
S1	1	10/660161	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/06 15:10
S2	49	@rlad<"20030911" and ((cosimulat\$3 or co-simulat\$3) and bridg\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/06 15:11
S3	51	@rlad<"20030911" and ((cosimulat\$3 or co-simulat\$3 or coverificat\$3 or co-verificat) and bridg\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/06 15:12
S4	55	@rlad<"20030911" and ((cosimulat\$3 or co-simulat\$3 or coverificat\$3 or co-verificat\$3 or coverif\$3 or co-verif\$3) and bridg\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/08 15:27
S5	21	S4 and (control\$3 and disabl\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/06 15:52
S6	55	S4 and (control\$3 and (disabl\$3 or enabl\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/08 12:51

EAST Search History

S7	0	@rlad<"20030911" and ((parallel with (cosimulat\$3 or co-simulat\$3 or coverificat\$3 or co-verificat\$3 or coverif\$3 or co-verif\$3)) and bridg\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/08 12:40
S8	10	@rlad<"20030911" and (parallel with (cosimulat\$3 or co-simulat\$3 or coverificat\$3 or co-verificat\$3 or coverif\$3 or co-verif\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/06 17:22
S9	106	@rlad<"20030911" and ((cosimulat\$3 or co-simulat\$3 or coverificat\$3 or co-verificat\$3 or coverif\$3 or co-verif\$3) and (disabl\$3 or enabl\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/09 10:40
S10	87	S9 and parallel	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/06 17:23
S11	56	@rlad<"20030911" and ((cosimulat\$3 or co-simulat\$3 or coverificat\$3 or co-verificat\$3 or coverif\$3 or co-verif\$3) and ((disabl\$3 or enabl\$3) with signal))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/06 17:46
S12	3	10/463057	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/06 17:26
S13	2	09/985286	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/06 17:32
S14	13	@rlad<"20030911" and ((dynamic\$5 or parallel) with (cosimulat\$3 or co-simulat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/08 09:26
S15	1	"5771370".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/08 10:51
S16	1	10/834896	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/08 10:51

EAST Search History


S17	13	@rlad<"20030911" and ((parallel or dynamic\$5) with (cosimulat\$3 or co-simulat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/08 12:49
S19	2	09/058726	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/08 12:42
S20	2	09/058726	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/08 12:43
S21	3294	@rlad<"20030911" and ((parallel or dynamic\$5) with (cosimulat\$3 or co-simulat\$3 or simulat\$3)) and process	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/08 17:17
S22	226	S21 and (shar\$3 with memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/08 12:50
S23	205	S22 and (control\$3 and (disabl\$3 or enabl\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/08 17:17
S24	97	S22 and (simulator)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/08 12:51
S25	88	S24 and (control\$3 and (disabl\$3 or enabl\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/08 12:57
S26	30	S25 and bridge	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/09 10:41
S27	0	S21 and (control\$3 with optimiz\$5 with signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/08 12:58

EAST Search History

S28	1260	S21 and (control\$3 with signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/08 12:58
S29	0	S21 and (control\$3 with optimiz\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/08 12:58
S30	0	S21 and (optimiz\$5 with signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/08 12:58
S31	985	S28 and (control\$3 and (disabl\$3 or enabl\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/08 12:59
S32	160	S28 and (control\$3 and (disabl\$3 with signal))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/08 12:59
S33	115	S28 and (control\$3 with(disabl\$3 with signal))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/08 12:59
S34	10	@rlad<"20030911" and ((cosimulat\$3 or co-simulat\$3 or coverificat\$3 or co-verificat\$3 or coverif\$3 or co-verif\$3) same bridg\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/08 15:33
S36	0	@rlad<"20030911" and ((cosimulat\$3 or co-simulat\$3 or coverificat\$3 or co-verificat\$3 or coverif\$3 or co-verif\$3) with bridg\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/08 15:28
S38	137	pci with bidirection\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/08 15:31
S39	10	S34 and (disabl\$3 or enabl\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/08 15:33

EAST Search History

S40	572	@rlad<"20030911" and ((parallel or dynamic\$5) with (cosimulat\$3 or co-simulat\$3 or simulat\$3)) and process and bridge	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/08 17:17
S41	100	S22 and (control\$3 and (disabl\$3 or enabl\$3 or stop\$4 or start\$3) with process)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/08 17:18

[Sign in](#)

Web Results 31 - 40 of about 248 for **cosimulation synchronization optimization optimize synchronize**. (0.17 seconds)

[PDF] [The Happy Marriage of Architecture and Application in Next ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

optimization cross loop boundaries, affect function calls and ... third one is an idle instruction that is used to **synchronize** ...

www.emsec.ee.ucla.edu/pdf/2004cf.pdf - [Similar pages](#)

[PS] [How Bochs works under the hood](#) Peter Lund, firefly@diku.dk 2002-08 ...

File Format: Adobe PostScript - [View as HTML](#)

3.1 BX_SIM_ID When using **cosimulation** it has something to do with which ... 8

Optimization Ideas 8.1 Traces. "Almost all programming can be viewed as an ...

www.diku.dk/hjemmesider/studerende/firefly/bochsdoc.ps - [Similar pages](#)

[PDF] [Device Driver and DMA Controller Synthesis from HW/SW ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Synchronization with external events: **Synchronization** of device drivers with ...

That is, the **optimization** is more likely to be effective with respect to ...

www.imit.kth.se/~axel/papers/2001/device-driver.pdf - [Similar pages](#)

[[More results from www.imit.kth.se](#)]

[PDF] [Fast Performance Analysis of Bus-Based System-On-Chip ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

symbolic traces (represented as a Bus and **Synchronization** Event ... analysis tool into a design exploration/**optimization** tool for SOC ...

esdat.ucsd.edu/~klahiri/papers/iccad99.pdf - [Similar pages](#)

[PPT] [Kein Folientitel](#)

File Format: Microsoft Powerpoint - [View as HTML](#)

Design Space Exploration; Parameter **Optimization**; IP-Interface validation ...

Functional Validation with **Cosimulation**. **Cosimulation** Manager ...

www.ida.ing.tu-bs.de/research/coops/dfg-spp-rp/rsp99/4.ppt - [Similar pages](#)

[PS] [In Proc. Design Automation and Test Europe \(DATE\), \Omega March ...](#)

File Format: Adobe PostScript - [View as HTML](#)

Power estimation and **optimization** techniques for other system-on-chip components,

... During **cosimulation**, when a macro-operation is executed, ...

www.princeton.edu/~anandr/pub_links/date00.ps - [Similar pages](#)

[Design, Automation and Test in Europe](#)

Free MDD-based Software **Optimization** Techniques for Embedded Systems [p. ...

MASCOT: A Specification and **Cosimulation** Method Integrating Data and Control ...

www.date-conference.com/conference/2000/abstracts.htm - 233k -

[Cached](#) - [Similar pages](#)

[PDF] [Quick Start](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Cosimulation with analog/RF designs, refer to the **Cosimulation** section of the ...

Momentum includes simulation, **optimization**, and visualization tools for ...

eesof.tm.agilent.com/docs/adsd2004A/pdf/adstour.pdf - [Similar pages](#)

[PS] [EMBEDDED SYSTEM CO-DESIGN: SYNTHESIS AND VERIFICATION LUCIANO ...](#)

File Format: Adobe PostScript - [View as HTML](#)

Other **optimization** criteria can be included beside schedulability, ... Timed and


untimed hardware/software **cosimulation**: application and efficient ...

www.cs.ucr.edu/~harry/research_files/publications/nato95.ps - [Similar pages](#)

[PDF] [System-level performance analysis for designing on-chip ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

mance-analysis methodology where an initial **cosimulation** of ... formance-analysis
tool into an **optimization** framework to auto- ...
www.tik.ee.ethz.ch/tik/education/lectures/DSE/Lahiri.pdf - [Similar pages](#)



Result Page: **Previous** [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [13](#) **Next**

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google